

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	523	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L2	125	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L3	7	("2253089"   "3045278"   "4154592"   "4572486"   "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 13:27
L4	2	("5931984").URPN.	USPAT	OR	OFF	2006/06/27 13:27
L5	51	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L6	115	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L7	63	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L8	50	(L5 or L6 or L7) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L9	10	(L5 or L6 or L7) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L10	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27

## EAST Search History

L11	10	(L5 or L6 or L7) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L12	43	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L13	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L14	29	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L15	4	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L16	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L17	51	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L18	115	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L19	63	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L20	10	(L17 or L18 or L19) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27

## EAST Search History

L21	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L22	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L23	7	("2253089"   "3045278"   "4154592"   "4572486"   "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 13:27
L24	2	("5931984").URPN.	USPAT	OR	OFF	2006/06/27 13:27
L25	50	(L17 or L18 or L19) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L26	10	(L17 or L18 or L19) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L27	43	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L28	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L29	29	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L30	4	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27

## EAST Search History

L31	125	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L32	523	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L33	51	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L34	115	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L35	63	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L36	10	(L17 or L18 or L19) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L37	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L38	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L39	7	("2253089"   "3045278"   "4154592"   "4572486"   "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 13:27
L40	2	("5931984").URPN.	USPAT	OR	OFF	2006/06/27 13:27

## EAST Search History

L41	50	(L17 or L18 or L19) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L42	10	(L17 or L18 or L19) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L43	43	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L44	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L45	29	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L46	4	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L47	125	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L48	523	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L49	18	"6354479"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 13:27
L50	79	"5421503"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 13:27

## EAST Search History

L51	51	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L52	115	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L53	63	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L54	10	(L51 or L52 or L53) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L55	51	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L56	115	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L57	63	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L58	10	(L55 or L56 or L57) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L59	51	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L60	115	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27

## EAST Search History

L61	63	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L62	10	(L55 or L56 or L57) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L63	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L64	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L65	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L66	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L67	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L68	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L69	7	("2253089"   "3045278"   "4154592"   "4572486"   "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 13:27
L70	2	("5931984").URPN.	USPAT	OR	OFF	2006/06/27 13:27

## EAST Search History

L71	50	(L51 or L52 or L53) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L72	10	(L51 or L52 or L53) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L73	43	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L74	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L75	29	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L76	4	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L77	7	("2253089"   "3045278"   "4154592"   "4572486"   "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 13:27
L78	2	("5931984").URPN.	USPAT	OR	OFF	2006/06/27 13:27
L79	50	(L55 or L56 or L57) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L80	10	(L55 or L56 or L57) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27



## EAST Search History

L81	43	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L82	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L83	29	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L84	4	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L85	7	("2253089"   "3045278"   "4154592"   "4572486"   "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 13:27
L86	2	("5931984").URPN.	USPAT	OR	OFF	2006/06/27 13:27
L87	50	(L55 or L56 or L57) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L88	10	(L55 or L56 or L57) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L89	43	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L90	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27

## EAST Search History

L91	29	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L92	4	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L93	18	"6354479"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 13:27
L94	79	"5421503"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 13:27
L95	125	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L96	125	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L97	125	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L98	523	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L99	523	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
L100	523	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27

## EAST Search History

L101	1	10/494258	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/27 13:27
------	---	-----------	---	----	-----	------------------